

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20	(MINNICK near LINDEN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:32
L2	6312	713/200-201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L3	173	L2 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L4	90	L2 and secur\$4 near (table (look adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L5	0	L4 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L6	6	L2 and secur\$4 near (table (look adj up)) same packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L7	0	L6 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L8	2	counter same collision same lookup near table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L9	0	L8 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L10	1041	hash near table same "2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33

L11	12	L10 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:35
L12	8	hash near table same "2" near entries	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L13	0	L12 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L14	38	hash near table same "2" near3 entries	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L15	0	L14 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L16	134	bit adj wise near "and" same mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L17	0	L16 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L18	61	L16 same table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L19	0	L18 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L20	24	L18 not guttag.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33

L21	0	L20 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L22	1	L16 same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L23	0	L22 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L24	1	L16 same key near value	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L25	0	L24 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L26	3	L16 and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L27	0	L26 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L28	8	L16 and key near value	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L29	0	L28 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L30	1	five near times same supported near5 network near traffic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33

L31	0	L30 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L32	26	times same supported near5 network near traffic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L33	0	L32 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L34	2	table same supported near5 network near traffic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L35	1	L34 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:36
L36	7	table same support\$4 near5 network near traffic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L37	1	L36 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:36
L38	5	five near times same network near traffic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L39	0	L38 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33
L40	97	hash near table near search.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:33

L41	1	L40 and @ad<"20010926" and @pd>"20050208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:36
L42	333	ingress with table same egress with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:34
L43	10	L42 same separate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:34
L44	0	ingress near3 table same egress near3 table same hash\$4 with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:34
L45	34	ingress near3 table same egress near3 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:34
L46	153	determin\$4 with ingress with egress with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:34
L47	0	L46 same device near driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:34
L48	0	L46 same driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:34
L49	25	L46 same table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 13:34
L50	165	device near driver same table with (look adj up lookup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:34

L51	3	L50 and security near associat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:35
L52	38	L50 and security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:35



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

"Network Driver Interface Specification" "NDIS"

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 182 for "**Network Driver Interface Specification**" "**NDIS 4.0**". (0.26 seconds)

PCAUSA - NDIS Frequently Asked Questions List

NDIS is short for the "**Network Driver Interface Specification**". The primary purpose of NDIS is to define a standard ... **NDIS 4.0** Intermediate Driver Sample ...
www.pcausa.com/resources/ndisfaq.htm - 53k - [Cached](#) - [Similar pages](#)

Network Driver Interface Specification - NDIS 5.0 Overview

Provides an overview of **Network Driver Interface Specification** (NDIS) 5.0. ...
NDIS 5.0 consists of all functionality defined in **NDIS 4.0**, ...
www.microsoft.com/whdc/archive/ndis5.mspx - 40k - [Cached](#) - [Similar pages](#)

Microsoft Windows CE: Network Driver Interface Specification (NDIS)

Network Driver Interface Specification (NDIS) in Windows CE ... implementation on Windows CE is a subset of the **NDIS 4.0** implementation used on Windows NT. ...
www.microsoft.com/technet/prodtechnol/wce/maintain/ndis.mspx - 60k - [Cached](#) - [Similar pages](#)
[[More results from www.microsoft.com](#)]

Network Driver Interface Specification - NDIS Driver : Network ...

The **Network Driver Interface Specification** describes an interface by ... The NDIS implementation on Windows CE is a subset of the **NDIS 4.0** under Windows NT. ...
www.cswl.com/whiteppr/white/ethernet.html - 65k - [Cached](#) - [Similar pages](#)

NT transport driver interface, NT network driver interface ...

... NT **network driver interface specification**, Interprocess Communications ...
The network card drivers must be compatible with **NDIS 4.0** which allows ...
www.rhyshaden.com/nt_net.htm - 17k - [Cached](#) - [Similar pages](#)

Network Model

... **Network Driver Interface Specification** (NDIS) is a boundary layer running ...
Layer (Adapter driver) - Microsoft requires an **NDIS-4.0** compatible driver ...
www.comptechdoc.org/os/windows/ntwsguide/ntwsnmodel.html - 11k - Aug 6, 2005 - [Cached](#) - [Similar pages](#)

Network Driver Interface

Network Driver Interface Specification (3.1 through 5.0) NDIS 3.1 supports basic ...
... **NDIS 4.0** added the following new features to NDIS 3.1: Out-of-band data ...
www.softheap.com/internet/network-driver-interface.html - 7k - [Cached](#) - [Similar pages](#)

Network Driver Interface Specification (NDIS) in Microsoft Windows ...

Network Driver Interface Specification (NDIS) in Microsoft Windows CE 3.0 ...
is a subset of **NDIS 4.0** implementation used in Windows NT operating system. ...
msdn.microsoft.com/library/en-us/dnce30/html/ndis30.asp - 48k - [Cached](#) - [Similar pages](#)

[PDF] Com20020 NDIS Miniport Driver Test Report

File Format: PDF/Adobe Acrobat
NDIS (**Network Driver Interface Specification**) provides the means to allow a network ...
... The **NDIS 4.0** library is provided in Windows NT 4.0 and a later ...
www.arccontrol.com/pdf/TN1.pdf - [Similar pages](#)

[PDF] Successful Software Projects FlameThrower

File Format: PDF/Adobe Acrobat - [View as HTML](#)

driver standard (**Network Driver Interface Specification**). ... **NDIS 4.0** for Windows NT 4.0 and Windows 98. •. NDIS 5.0 for Windows 2000 ...

www.controlnetindia.com/cnetdocs/Success_SW.pdf - [Similar pages](#)

Go o o o o o o o o o o o o o o g l e ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**



Google Desktop Search			9:30 AM
-----------------------	--	--	---------

Free! Instantly find your email, files, media and web history. [Download now.](#)

"Network Driver Interface Specificati

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google